
1
Miles
N
S
E
W
VAR. 8°00'W (2002)
ANNUAL INCREASE 4'
9960-Y-43850
43840
43830
43820
43880
43870
43860
Depth over crib 40ft PWI
Wk PA 3 ft rep
Obstn Fish Haven (auth min 15 ft)
3 Q 16ft Priv
2 Q G 26ft Priv
Fl G 4s 16ft Priv
Wildwood Yacht Club Ramp
Fl R 4s 16ft Priv
Ruins
F R 14ft Priv
F G 14ft Priv
Northeast Yacht Club
Easterly Wastewater Treatment Plant
STACKS
TANK
STACK
F G 20ft "1" Priv PA
F R 20ft "2" Priv PA
Subm pile
Bratenah Bldg
TANK Oc R
Iso R 6s 59ft 6 St M "2"
Fl 4s 40ft 6 St M "A"
Under constr
Euclid-Glenville Hospital
Moss Point
SPIRE
Euclid Creek
Nottingham
ConRail
Depth over crib 13ft
Intake
WARNING
The prudent mariner will not rely so any single aid to navigation, particul floating aids. See U.S. Coast Guard Li and U.S. Coast Pilot for details.
LORAN-C
GENERAL EXPLANATIO
LORAN-C FREQUENCY
PULSE REPETITION INTERVAL